

Color Coated Steel



Color Coated Galvanized Steel




Color Corrugated Roofing Sheet



PPGI



PPGL



Color Coated Galvanized Steel

Contact Sales Manager

Phone/Whatsapp: +91-8130508282

Email: sales@ratneshinternational.com

MOQ: 50 MT

Product Detail

Standard	ASTM,DIN,JIS,BS,GB/T
Material	DX51D,DX52D,S350GD,S550GD
Thickness	0.12-4.0 mm
Width	20-1500 mm,Normal width is 914/1000/1219/1250/1500 mm
Type of coating process	Front:double coated&double drying; Back:double coated&double drying;single coated&double drying;
Color	Standard color:red,blue,white,grey Special color:according to RAL color
Characteristics	Weather proof;heating insulation;fireproof;anti-rust;sound insulation;long life span:more than 15 years
Advantages	1.low foundation cost 2.easy construction 3.time and labor saving 4.labor saving
Packing	Tied up with steel strips and wrapped with water proof paper
Application	1.construction:prefabricated house,steel house,mobile house,modular house,villa, bungalow design,portable house/carbin,ready made house,kiosk booths,steel building... 2.container manufacturing 3.household appliances and furniture 4.vehicle and vessel manufacturing 5.others,like machinery structure parts,manufacturing shells of motors and so on
Shipment	Within 10-15 workdays,25-30 days when the quantity beyond 1000 tons.



Color Corrugated Roofing Sheet

Contact Sales Manager

Phone/Whatsapp: +91-8130508282

Email: sales@ratneshinternational.com

MOQ: 50 MT

Product Detail

Product Name	Corrugated steel/aluminum plate
Grade	SGCC,SGHC,CGCC,DC51D DX51D DX52D DX53D DX54D SGH340 SGH400 SGH440 SGH490 SGH540 SGC340 SGC400 SGC440 SGC490 SGC570
Coating Mass	Z20-Z275, AZ20-AZ180
Spangle	Zero spangle,Mini spangle,Regular spangle,Big spangle
Surface treatment	chromed,skin pass,oiled,unoiled,slightly oiled,dry
Wave Type Corrugated Sheet Size	914mm, 900mm, 810mm,800 mm,665 mm,650 mm, Or According to clients request
Width	600mm-1250mm, according to customer' s requirement
Thickness	0.12mm-2.0mm
Tolerance	(+/-) 0.01mm(thickness)
Trapezoidal Type Corrugated Sheet Size	YX25-205-820/YX25-205-1025/YX25-210-840/ YX/8-130-910/ YX35-125-750/ YX25-248-992/ YX28-207-828/ YX35-237.5-950/ YX15-225-900/ YX4-115-1150 Or According to clients request
Export packing	steel strip packed. Standard Export Seaworthy Package.Suit for all kinds of transport,or as required

	<p>PPGI</p> <p>Contact Sales Manager</p> <p>Phone/Whatsapp: +91-8130508282</p> <p>Email: sales@ratneshinternational.com</p> <p>MOQ: 50 MT</p>
---	--

Product Detail	
Product	PPGi Coil (Pre-Painted Galvanized)
Technology	Pre galvanized, hot dip galvanized, color coated, ect.
Color	Ral color, can be customized according to customer needs
Width	1000~1500mm or as customer's requirements
Thickness	Cold rolled:0.2~4.0mm Hot rolled:4mm~300mm
Length	100mm to 12000mm or as customer's request
Zinc coating	60g/m ² -600g/m ² -
Grade	SPCC,SPCD,SPCE,ST12-15,DC01-06,Q195A-Q235A,Q195AF-Q235AF, Q295A(B)-Q345A(B)
Standards	AISI ASTM JIS SUS DIN GB
Certifications	ISO 9001
Packing	Industry standard packaging or according to client's requirement
Brand	TISCO,ZPSS,Baosteel,POSCO,LISCO,YUSCO,Ansteel, QPSS,JISCO,HXSCO, Chengde,Yongjin,Tsingshan,Shouyang,HW
Payment	T/T,L/C,Western Union,Paypal,Apple Pay,Google Pay,D/A,D/P,MoneyGram
Delivery time	Up to order quantity

Product Description




our steel coils support customization and follow the ral color chart. If you don't know what the color number is, you can tell us what color you need, and we will provide you with professional services.


Color-coated rolls are mainly used in the advertising industry, construction industry, home appliance industry, electrical appliance industry, furniture industry and transportation industry.



The color-coated roll has the characteristics of uniform color, bright and clean, strong and durable, and strong adhesion.

Product Display





PPGL

Contact Sales Manager

Phone/Whatsapp: +91-8130508282

Email: sales@ratneshinternational.com

MOQ: 50 MT

Product Detail

Product Name	Color Coated PPGI/PPGL Steel Strip /Coil/ Sheet
Standard	JIS G 3312-CGCC, CGC340-570, (G550),ASTM A -755M CS-B, SS255-SS550
Grade	Q195 Q235 Q345 SGCC SGCH SGC340 SGC400 SGC440 SGC490 SGC570 DX51D DX52D DX53D DX54D DX55D DX56D DX57D S220GD S250GD S280GD S320GD S350GD S400GD S500GD S550GD SS230 SS250 SS275
Base Steel Coating Thickness	Galvanized coating thickness Z30-Z275g; Galvalume coating thickness AZ30-275g.
Type of substrate	Galvanized steel / Galvalume steel /Aluminum
Thickness	0.12 ~ 3.00 mm (Cold Rolled) 1.20 ~ 4.60 mm (Hot Rolled)
Width	10 - 600 mm (strip) 600 - 1250 mm (coil) or as Your Request (regular width 1000mm, 1250mm, 1500mm)
Tolerance	Thickness:± 0.01 mm Width: ±2 mm
Coil ID	508 mm - 610 mm
Coil Weight	3 - 8 ton or as Your Request
Spangle	Big spangle,Regular spangle,Mini spangle,Zero spangle
Surface Treatment	Oil,Passivation, Chromated, Skin-passed, Anti-finger Print
Color	RAL color, Wooden color,Military color,Matt, Winkled, ECT.
Coating Types	Top Painted : PVDF / HDP / SMP / PE / PU Primer Painted : Polyurethane / Epoxy / PE Back Painted : Epoxy / Modified Polyester
Surface Treatment	Passivation or Chromated, Skin Pass,Oil or Unoiled,or Antifinger print
Quality	Soft or hard quality
Logo	As usual, one logo per meter. Its color and design could be as your requirements.
Packing	Export standard.
Transport Type	Container, bulk and train
Payment Terms	T/T, L/C at sight,West Union

Product Description



our steel coils support customization and follow the ral color chart. If you don't know what the color number is, you can tell us what color you need, and we will provide you with professional services.

Color-coated rolls are mainly used in the advertising industry, construction industry, home appliance industry, electrical appliance industry, furniture industry and transportation industry.



The color-coated roll has the characteristics of uniform color, bright and clean, strong and durable, and strong adhesion.

Product Display



FAQ

Q: What about the quality control in your factory ?

A: We have our own laboratory, also our own quality control system and professional quality inspectors. We will ship the products after strict quality inspection.

Q: How does your price quote ?

A: 1. Lowest material cost in best quality.

2. All the products are designed and produced by ourselves to save products' cost.

3. Quote the price in hours with the best price to help the partner to open the market.

Q: Do you support OEM or ODM?

A: Yes! We accept client's design and we produce according to each client's requirement.

Q: What about the payment terms?

A: Our normal payment terms is 30% T/T as the prepayment and 70% balance need to be paid off before shipment, we also could accept L/C for client who have been familiar with our factory for a few years .

Q: Do you provide samples ? Does it free or charge ?

A: Yes, we could offer the sample for free, but the shipping cost will be charged in your hand.